

FRAMEWORK BIDDING DOCUMENT

(Installation of DWWS)

PROJECT CODE: (PK-DWWS Tender)

FRAMEWORK AGREEMENT FROM 1st AUGUST 2024 TO 31st JANUARY 2025

Please submit Rids for Each Activity by filling in the section no. II/ Attached Specification

Please su	Please submit Bids for Each Activity by filling in the section no. II/ Attached Specification				
Sn	Details	Quoted Rates, please (Yes/No)			
A.	Installation DWWS Rawalpindi				
В.	Installation DWWS Bahawalpur				
C.	Installation DWWS Rahimyar Khan				
D.	Installation DWWS Faisalabad				
E.	Installation DWWS Layyah				
F.	Installation DWWS Bhakkar				
G.	Installation DWWS Muzaffargarh				
Н.	Installation DWWS Rajanpur				
l.	Installation DWWS Tharparkar				
J.	Installation DWWS Thatta				
K.	Installation DWWS Dera Ismail Khan				
L.	Installation DWWS Bannu				
M.	Installation DWWS Lakki Murwat				
N.	Installation DWWS Torghar				
0.	Installation DWWS Batagram				
P.	Installation DWWS Mansehra				
Q.	Installation DWWS Haripur				
R.	Installation DWWS Musakhel				
S.	Installation DWWS Lasbella				
T.	Installation DWWS Jhal Magsi				
U.	Installation DWWS Osta Mohammad				
V.	Installation DWWS Dera Murad Jamali				
W.	Installation DWWS Sohbatpur				
X.	Installation DWWS Jaffarabd				
Y.	Installation DWWS Naseerabad				
Z.	Installation DWWS Bagh				
AA.	Installation DWWS Mirpur				
BB.	Installation DWWS Bhimber				

Note: (Documents/Quotations shared via Google Drive are not acceptable/accessible)

Name of Firm:	
NTN:	
Bank Account Details:	
Contact#:	
Email Address:	
	Prepared by: Human Appeal -Pakistan

Farm House 4-4, Street 11, Chak Shahzad Farms, Islamabad, Pakistan Jul 10, 2024



Table of Contents

Section	nl.	
Instruct	tions to Bidders	4
Section	r II.	
Schedu	ıle of Requirements	11
Section	n III.	
Bidders	s Questionnaire/Contact Form	12
	Section I. Instructions to Bidders	
	Table of Clauses	
A. Gen	eral	4
1	Coope of Rid	4
1.	Scope of Bid	
2.	Eligible Bidders	
3.	Corrupt, Fraud	
4.	Eligible Goods and Services	4
R Tho	Bidding Documents	4
D. THE	bluding bocuments	4
1.	Content of Bidding Documents	4
2.	Clarification of Bidding Documents	4
3.	Amendment of Bidding Documents	5
C. Prep	paration of Bids	5
1.	Cost of Bidding	5
2.	Language of Bid	
3.	Bid Propose	
4.	Bid Prices	
5.	Bid Currency	
6.	Period of Validity of Bids	
0.	Teriod of validity of bids	
D. Subi	mission of Bids	6
4	6 1: 104 1: 60:1	6
1.	Sealing and Marking of Bids	
2.	Deadline for Submission of Bids	
3.	Late Bids	6
E. Ope	ning and Evaluation of Bids	6
1.	Opening of Bids	6
2.	Clarification of Bids and Contacting Bidders	6
3.	Preliminary Examination	
4.	Evaluation and Comparison of Bids	
5.	Clarification of Bids and Contacting HA-PAK	
6.	Post-qualification	
7.	Purchaser's Right to Accept any Bid and to Reject any or All Bids	

A	•
1	Will State of the
	4.34

F. Awa	rd of Contract	7
1. 2. 3. 4.	Award Criteria Purchaser's Right to Vary Quantities at Time of Award Notification of Award Signing of Contract	3 8
G. Oth	er Associated Conditions	8
H. Plen	nty on Delay in Project Completion	8
I. Selec	ction Criteria of Bids/Proposals	8
J. Offer	red delivery period schedule	10
Section	II. Schedule of Requirements11	
1. 1.1	Schedule of Requirements	
Section	III. Bidders Questionnaire/Contact21	
1.	Latest relevant work experiences22	



Section I. Instructions to Bidders

A. General

1. Scope of Bid

- 1. HA-PAK invites bids for the framework agreements of the Installation of Deep Water Wells.
- 2. The successful Bidder is expected to complete the services by the Intended Completion date is given in section II, with effective from the signing of the Contract.

2. Eligible Bidders

- 1. This Invitation for Bids is open to all NTN-holder Bidders from all over Pakistan
- 2. Bidders shall not be under a declaration of ineligibility for corrupt, fraudulent, and coercive practices issued by HA-PAK.
- 3. Bidders shall not be involved in terrorist acts/criminal activities or associated with individuals and/or entities associated with terrorist acts/criminal activities.

3. Corrupt, Fraudulent, Collusive, and Coercive Practices

1. HA-PAK requires that all; HA-PAK Staff, Bidders, Contractor, suppliers or distributors, observe the highest standard of ethics during the procurement and execution of all contracts. HA-PAK shall reject any Bids put forward by Bidders or where applicable terminate their contract, if it is determined that they have engaged in corrupt, fraudulent, criminal activities collusive or coercive practices.

4. Eligible material/Goods

1. All goods /materials/ Services to be supplied under the contract shall have their origin in an eligible source (The "origin" means the place where the goods are produced, or the related services are supplied. e.g. Not smuggling goods), and all expenditures made under the contract will be limited to such Supply/construction.

B. The Bidding Documents

1. Content of Bidding Documents

The material/goods/services required, bidding procedures, and contract terms are prescribed in the bidding documents. In addition to the Invitation for Bids, the bidding documents include:

- a) Instructions to Bidders (ITB)
- b) Contract for Supply/Services
- c) Schedule of Requirements
- d) Technical Specifications
- e) Selection criteria form

The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required in the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.

2. Clarification of Bidding Documents

A prospective Bidder requiring any clarification of the bidding documents may notify through e-mail and given in the tender notice, indicated in the published Tender Notice. While no telephonic inquiries will be entertained.

3. Amendment of Bidding Documents

1. At any time prior to the deadline for submission of bids, HA-PAK, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the bidding documents by amendment.

- 2. All prospective bidders who have received the bidding documents will be notified of the amendment in writing and will be binding on them.
- 3. In order to allow prospective bidders reasonable time to take the amendment into account in preparing their bids, HA-PAK, at its discretion, may extend the deadline for the submission of bids (if required).

C. Preparation of Bids

1. Cost of Bidding

The bidder shall bear all costs associated with the preparation and submission of its bid, and HA-PAK will not be responsible or liable for those costs.

2. Language of Bid

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and HA-PAK shall be written in the English language.

Supporting documents and printed literature furnished by the Bidder may be in another language provided.

3. Bid Proposal

The Bidder shall propose the Bid with complete detail and the appropriate Price Schedule, indicating the services and goods to be supplied or provided, a brief description of the goods/material, and their country of origin, quantity, quality, and prices. **Proposal not submitted on HA Tender document will be rejected**.

4. Bid Prices

- 1. The Bidder shall indicate on the appropriate Price Schedule the unit prices and total bid price of the goods/services it proposes to supply under the contract.
- 2. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account unless otherwise specified. A bid submitted with an adjustable price quotation will be treated as non-responsive and will be rejected.

5. Bid Currency

Prices shall be quoted in the following currency: For services and goods/materials that the Bidder will provide/supply to HA-PAK, the prices shall be quoted in Pakistan Rupees (PKR currency).

6. Period of Validity of Bids

- Bids shall remain valid for the period of next 6 months (till 31st January 2025) after the date of bid opening prescribed by HA-PAK. A bid valid for a shorter period shall be rejected by HA-PAK as nonresponsive.
- 2. In exceptional circumstances, prior to the expiry of the bid validity, HA-PAK may request that the bidders extend the period of validity for a specified additional period of not more than 30 days. The request and the bidders' responses shall be made in writing.

D. Submission of Bids

1. Sealing and Marking of Bids

The Bidder shall stamp and sign the filled document/tender and send a scanned or PDF copy of the bid, brief profile of relevant projects done/experience/registration certificates/ references, and other documents (project name, project amount, Organization, date of completion and contact details) in a Zep Folder with mentioned firm Name and project Name, via this specified e-mail pkdwws.tender@humanappeal.org.uk Duly marking the subject line Project Code: PK-DWWS Tender and Project Location, applied for. Final bidders will be also requested to submit their security deposit of 5% of the whole bid/proposal by courier/post or submit by hand at the country office of HA.



2. Deadline for Submission of Bids

- a) Bids must be received by HA-PAK via the email box specified under instructions to bid (ITB), no later than (date and time) 23rd Jul 2024, 5:00 PM.
- b) HA-PAK may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in accordance with ITB, in which case all rights and obligations of HA-PAK and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

3. Late Bids

Any bid received by HA-PAK after the deadline for submission of bids prescribed by HA-PAK will be rejected and will not be forwarded for the bid opening processes. The Bidder will assume the responsibility of un-possession of the bid documents.

E. Opening and Evaluation of Bids

1. Opening of Bids

The bidders, bids will be opened on 24th Jul 2024. No bid shall be rejected at bid opening, except for late bids.

Bids that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances. Withdrawn bids will be returned unopened to the bidders in case of sealed bids.

2. Clarification of Bids and Contacting Bidders

During the evaluation of the bids, HA-PAK may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing or physical meeting and no change in the prices or substance of the bid shall be sought, offered, or permitted.

3. Preliminary Examination

HA-PAK will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required guarantees have been furnished/referenced, whether the documents have been properly signed, and whether the bids are generally in order.

4. Evaluation and Comparison of Bids

HA-PAK will evaluate and compare the bids, which have been determined to be substantially responsive.

HA-PAK's evaluation of a bid will exclude and not take into account:

- a) In the case of goods/material/services, sales and other similar taxes will be the responsibility of the vendor, which will be payable on the goods/services if a contract is awarded to the Bidder;
- b) In the case of goods/materials of foreign origin offered from abroad, customs duties and other similar import taxes which will be payable on the goods if the contract is awarded to the Bidder; and

HA-PAK's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with one or more of the following factors:

- a) Delivery schedule/completion period offered in the bid;
- b) Deviations in payment schedule from that specified in the Conditions of Contract;
- Other specific criteria indicated and/or in the Technical Specifications, (Refer to selection criteria under the section I below)

5. Clarification of Bids and Contacting HA-PAK

- a) No Bidder shall contact HA-PAK on any matter relating to its bid, from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of HA-PAK, it should do so in writing through the given e-mail.
- b) Any effort by a Bidder to influence HA-PAK in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

6. Post-Qualification

- a) In the absence of pre-qualification, HA-PAK will determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB.
- b) The determination will take into account the Bidder's financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information as HA-PAK deems necessary and appropriate.
- c) Prior to award, HA-PAK shall verify and validate any documents/information submitted and if necessary shall conduct an ocular inspection of the Bidder office, plant/warehouse, and equipment.
- d) An affirmative determination will be a pre-requisite for the award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event HA-PAK will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.

7. Purchaser's Right to Accept any Bid and to Reject any or All Bids

HA-PAK reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder or any obligation to inform the affected Bidder or bidders of the grounds for HA-PAK's action.

F. Award of Contract

1. Award Criteria

HA-PAK will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.

2. Purchaser's Right to Vary Quantities at Time of Award

HA-PAK reserves the right at the time of contract award to increase or decrease, by the percentage indicated [+/- 50%], the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.

3. Notification of Award

- a) Prior to the expiration of the period of bid validity, HA-PAK will notify the successful Bidder in writing, that its bid has been accepted
- b) The notification of award will constitute the formation of the Contract.

4. Signing of Contract

At the same time as HA-PAK notifies the successful Bidder that its bid has been accepted/selected, HA-PAK and successful Bidder will sign agreements.



G. Other Associated Conditions

- 1) All material/items/services must be 100% according to the specifications, quantity and quality as required
- 2) Bids should be included Carriage and Transportation/Delivery charges
- 3) Payment will be made after completion of services/delivery on the provision of bills and GRN/work completion report.
- 4) Payment will be through a cross cheque.
- 5) All applicable taxes are applied and will be deducted
- 6) Previous experience letter/POs for work (At least four)
- 7) Kindly enclose evidence of your experience with other organizations, NGOs or INGOs
- 8) The bidders will be responsible for submitting a Bank Guarantee/Call deposit equivalent to Rs. 5% of the total bid price in the name of the "Human Appeal" and attached PDF copy of the call deposit along with your bid/quotation.

H. Plenty on Delay in Project Completion (As per agreed scheduled)

SI No	Total Delay	% To be deducted from the contract value	
1.	First 01 days	1.00%	
2.	From 03 to 05 days	2.00%	
3.	From 07to 10 days	3.00 %	
4.	Above 10 days:	Up to 10% As per discretion of the Procurement committee of HA	

I. Modern Slavery

The Supplier shall comply with all applicable anti-slavery and human trafficking laws, statutes, regulations from time to time in force including but not limited to the Modern Slavery..., and have and maintain throughout the term of this Agreement its own policies and procedures to ensure its compliance.

i. Selection Criteria of Bids/proposal Up to 10% As per discretion of Procurement committee of HA INSTRUCTIONS - Bidders are required to complete all sections of the below table and mention the attached documents as an annexure 1,2,3.....so on in the comments and attachments column

SELECTION CRITERIA				
Items	Question/indicators	Bidder's Response		
		Yes/No	Comments /and Attachments of Proofs	
Α	ESSENTIAL CRITERIA (General)			
1	Bidder accepts Human Appeal's Terms and Conditions and complies with all RFP/RFQ mandatory requirements /information on the same tender format.			
2	The bidder confirms they are not a prohibited party under applicable sanctions laws or anti-terrorism laws. (Local and international)			
3	Suppliers/Vendors are not any prohibited parties or on Government debar/ Blacklisting by any organization.			
4	Have a valid NTN certificate/ GST certificate			
5	Valid PEC Certificate			
6	Utility bill offices as physical evidence			
	CAPABILITY & SUSTAINABILITY QUESTIONS		•	

4	A	\$	•
•		2	ST. ST.
		Q.	8.

В	Company Experience and References (Point 12) (4 for Each)
1	Experience of a company on similar projects (Minimum 4) 04 projects experiences = 4 03 projects experiences = 3 02 projects experiences = 2 01 projects experiences = 1
2	working experiences in relevant Area or Regional Experience (previous) if yes= 4 If Nearby = 3 If No =1
3	Quality of Reference Check If up to mark 4 If Moderate 2 If a Negative Response 0
С	Financial Health of Company (Points 16)
1	Project Implemented Worth of Similar projects (Highest valued work orders) if average of 4 project values is above the total of HA Budget = 10 80 % of total budget=8 50 % of total =5 Below the 50% of Budget = 2
2	Latest Bank Maintenance Certificate if yes= 3 If No =0
3	The latest Financial Audit report of Frim if yes= 3 If No =0
D	Quality of Bid/Proposal and Lead time. (Points 06)
1	Proposed completion time for Short term projects (1 to 4 Month) if 1 month or below = 6 if within 2 month = 3 if within 3 month = 2 if above 4 month = 0
E	Environmental, Social, Health, and Safety Impact (Points 06)
1	The bidder demonstrates activities OR has processes in place within their organization. (e.g., paperless offices, green technology in offices, policies, training programs, community outreach programs, etc.) If Yes = 3 If No = 0
2	Availability of in-house personnel dedicated person to ESHS issues(Please attached Profile of Personnel) If Yes = 03 If No = 0
F	Financial proposal/Bid offered (Points 60)



1	Overall project costs	
	Lowest bidder =40	
	2nd Lowest Bidder =35	
	3rd Lowest Bidder=30	
	4th Lowest bidder=20	
	5 lowest Bidder = 10	
	above then 5th =05	
2	The Supplier provides bid security /Pay order / a bank guarantee	
	relevant to the project	
	If Yes =10	
	If No =05	
3	The Supplier asks to be paid advance payment in case selected	
	for the project:	
	If 0% advance=10	
	If 10% advance=07	
	If 20% advance=04	
	If 30% advance=01	
Note:	Please attach all Scanned or PDF documents along with the bid/ offer/quotation in one	Total Points=100
zip fold	ler with your organization and project names and send via the given email	

Proposed Completion Time after	1 month or below	Within 2 month	Within 3 month	4 month or Above
Purchase order				
If other than above please				
specify here				

0% Advance payment	10% Advance payment	20% Advance payment	30% Advance payment

SNO	Test Type	Parameters
1	Aesthetic	Color, Odor, Taste
2	Biological	Total Coliforms
3	Chemical	pH, TDS, Turbidity, Hardness, Sulphate, Alkalinity, Chloride, Iron, Arsenic, Nitrite

Note: in all BOQs test are included as per above mentioned specifications.

All the rates will be valid for 6 Months from date of signing of agreement.

Annexture-1: BOQ Section:

A) Deep Water Well 120 Rft Opt-1 Hand Pump(Bahawalpur, Rahimyar Khan, Faisalabad, Layyah, Bhakkar, Muzaffargarh, Rajanpur, Tharparkar, Thatta, Dera Ismail Khan, Bannu and Lakki Murwat Musakhel, Lasbella, Jhal Magsi, Osta Muhammad, Dera Murad Jamali, Sohbatpur, Jaffar Abad and Naseer Abad

SNO	Item	Specification/ Description of Work	Qty	Unit	Unit Cost	Total Cost	
	Drilling and Boring						
1	Drilling or Boring	Drilling 4" or 5" dia bore in all types of soils / stratum. Mannual or Machine Percussion	120	Rft			
		Installation of 3" dia Pure U-PVC class C pipe as blind as well as strainer pipe, end cap and filter cloth in bore hole,I/c					
2	Casing Pipe U-PVC	lowering jointing / fixing. Note: 6" Over Lapping at joint. Thickness 4.1 mm, Weight 0.4 kg per feet or 5.5 kg per 13	120	Rft			
		feet pipe length					
3	Shrouding Material	Shrouding with 1/8"1/4" gravel size, 1" thick around the casing pipe. (where required)	20	Cft			
		Affridiv Pump and Fittings			·		
		Providing and installation of fully Hot Dip Galvonized (HDG) Afridev Hand Pump with Spout and complete set with all					
		accerssories (Babin, Plunger, Bearing, Small and large pins for fulcurm and rod hanger, foot valve, foot valve reciever,					
1	Afridiv Hand pump	spanner etc.), cylider length 18", seamless stainless steel cylinder,adjustable T-bar AFRIDEV solid handle, U-	1	Set		0	
		seal,bobbin and O ring of nitride rubber,all bolts,nuts and washers of electroplated zinc and cadmium coating and					
		giving stroke length of 225+ complete in all respects					
2	Suction Pipe	Installation of 63 mm dia Pure U-PVC Pressure pipe class D pipe as suction pipe, I/c lowering, jointing & fixing	90	Rft		0	
	·	complete in all aspects. Thickness 4.7 mm weight 0.35 kg per feet or 3.5 kg per 10 feet pipe length				0	
3	GI Rods	Providing and installation of fully Hot Dip Galvonized (HDG) GI Rods with thickness 9 mm weight 2.5 kg per 10 feet rod Stand Post and Platform	90	Rft		0	
			<u> </u>				
1	Excavation or Earth Filling	Excavation or Earth Filling for hand pump Platform and stand post. (Size 7'x5'x1')	35	Cft			
2	Brick Ballast or Stones	Dry rammed brick or stone ballast, 1½" to 2"(40 mm to 50 mm) gauge., Should be clean from any kind of surki,	18	Cft			
	Brick Bullast of Stories	leaves,straw,earth and sand. (Size 7'x5'x6")	10	Cit			
3	PCC in Stand Post and Platform	P/L PCC 1:2:4 in hand pump Stand Post or block, above and Below the ground level (Size 3'x2'x2'), and Platform of	25	Cft			
		5'x5'x6" Size as per attached drawing. (Portland Cement, Fine & Clean Sand, 1/2" Down Crush)	23	Cit			
4	Brick Masonary in Stand Post and	Brick Massonary in walls of platform with CSM (1:4) as per design (Standard size sound burnt brick, Portland Cement,	5	Cft			
	Platform	Fine & Clean Sand)	,	Cit			
5	Plaster work in Stand Post and	Plaster 1/2" thick on Walls of platform, Inner Side & Outer side & Concrete block (1:3) (Portland Cement, Fine & Clean	50	Sft			
	Platform	Sand)	50	510			
6	Paint Work in Stand Post and	Indigo-Water Proof Plastic Emulsion, (Berger/Master/ICI) 2-coats minimum	50	Sft			
	Platform		50	510			
7	Waste Water Pipe with Elbow and	3" dia Plastic pipe for drainage (As per site/ need but minimum 5') with filter/ mesh & elbow, (covered drainage with	10	Rft			
	Stainer	safe disposal into turf)		1			
		Branding Branding			ı		
1	Donor Name Plaque	Marble Stone Pure White (01" thick) (1.5x1.5 feet) with Computerized 4-Color etching as per HA designs separate with	1	No			
<u> </u>	each donor name						
		Water Testing					
1	Water Quality Test	Certified Government PCRWR/PHED lab report for each installation (Physical, Chemical and Biological)	1	No			
		Total Cost of One Water Well	1	No.			
Note:	Rates must be valid for six months for						

Deep Water Well 120 Rft Opt-1 Hand Pump (Bahawalpur, Rahimyar Khan, Faisalabad, Layyah, Bhakkar, Muzaffargarh, Rajanpur, Thatta, Musakhel, Lasbella, Osta Muhammad, Dera Murad Jamali, Jaffar Abad and Naseer Abad

SNO	District	Tehsil/ Locations	QTY.	Unit Rate (Same as above) PKR	Additional Transport Cost/ Unit Rate PKR (If any)	Total Unit Rate (District wise) PKR
1	Bhawalpur	Yazman	1			
2	Rahimyar Khan	Cholistan	1			
3	Faisalabad	Samundri	1			
4	Layyah	Chobara	1			
5	Bhakkar	Bhakkar	1			
6	Muzafargarh	Muzafargarh	1			
7	Rajanpur	Rajanpur	1			
8	Tharparkar	Diplo	1			
9	Thatta	Thatta, Kohistan	1			
10	Dera Ismail Khan	Mandra, DI Khan	1			
11	Bannu	Kakki, Miryan	1			
12	Laki Marwat	Norang	1			
13	Musakhel	Saddar	1			
14	Lasbella	Bela, Awra	1			
15	Jhal Magsi	Jhal Magsi	1			
16	Osta Mohammad	Osta Mohammad	1			
17	Dera Murad Jamali	DMJ	1			
18	Sohbatpur	Sohbatpur	1			
19	Jaffarabad	Jaffarabad	1			
20	Naseerabad	Naseerabad	1			

B) Deep Water Well 200 Rft Opt-2 Hand Pump (Rawalpindi, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber)

SNO	Item	Specification/ Description of Work	Qty	Unit	Unit Cost	Total Cost
Drilling	g and Boring					
1	Drilling or Boring	Drilling 6" or 8" dia bore in all types of soils / stratum. Machine Percussion or Routery Drilling	200	Rft		
		Installation of 4" dia Pure U-PVC class C pipe as blind as well as strainer pipe, end cap and filter cloth in				
2	Casing Pipe U-PVC	bore hole,I/c lowering jointing / fixing. Note: 6" Over Lapping at joint. Thickness 5.2 mm, Weight 0.713	200	Rft		
		kg per feet or 9.2 kg per 13 feet pipe length				
3	Shrouding Material	Shrouding with 1/8"1/4" gravel size, 1" thick around the casing pipe. (where required)	40	Cft		
Affridi	v Pump and Fittings					
		Providing and installation of fully Hot Dip Galvonized (HDG) Afridev Hand Pump with Spout and				
		complete set with all accerssories (Babin, Plunger, Bearing, Small and large pins for fulcurm and rod				
1	Afridiv Hand pump	hanger, foot valve, foot valve reciever, spanner etc.), cylider length 18", seamless stainless steel	1	Set		
1 1	Amaiv mana pamp	cylinder,adjustable T-bar AFRIDEV solid handle, U-seal,bobbin and O ring of nitride rubber,all	1	Set		
		bolts, nuts and washers of electroplated zinc and cadmium coating and giving stroke length of 225+				
		complete in all respects				
2	Sustian Dina	Installation of 63 mm dia Pure U-PVC Pressure pipe class E pipe as suction pipe, I/c lowering, jointing	190	Rft		
2	Suction Pipe	& fixing complete in all aspects. Thickness 5 mm weight 0.40 kg per feet or 4 kg per 10 feet pipe length	190	KIL		
2	CLD. I	Providing and installation of fully Hot Dip Galvonized (HDG) GI Rods with thickness 12 mm weight 3.0	190	Rft		
3	GI Rods	kg per 10 feet rod	190	KIT		
		Stand Post and Platform				
1	Excavation or Earth Filling	Excavation or Earth Filling for hand pump Plateform and stand post. (Size 7'x5'x1')	35	Cft		
2	Brick Ballast or Stones	Dry rammed brick or stone ballast, 1½" to 2"(40 mm to 50 mm) gauge., Should be clean from any kind	18	Cft		
	Brick Ballast Of Stories	of surki, leaves, straw, earth and sand. (Size 7'x5'x6")	10	Cit		
		P/L PCC 1:2:4 in hand pump Stand Post or block, above and Below the ground level (Size 3'x2'x2'),				
3	PCC in Stand Post and Platform	and plateform of 5'x5'x6" Size as per attached drawing. (Portland Cement, Fine & Clean Sand, 1/2"	25	Cft		
		Down Crush)				
4	Driek Macanary in Stand Doct and Diatform	Brick Massonary in walls of platform with CSM (1:4) as per design (Standard size sound burnt brick,	5	Cft		
4	Brick Masonary in Stand Post and Platform	Portland Cement, Fine & Clean Sand)	n	CIL		
5	Plaster work in Stand Post and Platform	Plaster 1/2" thick on Walls of platform, Inner Side & Outer side & Concrete block (1:3) (Portland	50	Sft		
5	Plaster work in stand Post and Platform	Cement, Fine & Clean Sand)	50	SIL		
6	Paint Work in Stand Post and Platform	Indigo-Water Proof Plastic Emulsion (Berger/Master/ICI) 2-coats minimum	50	Sft		
7	Waste Water Pipe with Elbow and Stainer	3" dia Plastic pipe for drainage (As per site/ need but minimum 5') with filter/ mesh & elbow, (covered	10	Rft		
,	Waste Water Pipe with Elbow and Stainer	drainage with safe disposal into turf)	10	KIL		
Brandi	ing					
1	Donor Name Plaque	Marble Stone Pure White (01" thick) (1.5x1.5 feet) with Computerized 4-Color etching as per HA	1	No		
1	Donor Name Plaque	designs separate with each donor name	1	NO		
Water	Testing					
1	Water Quality Test	Certified Government PCRWR/PHED lab report for each installation (Physical, Chemical and Biological)	1	No		
		Total Cost of One Water Well	1	No.		



	Deep Water Well 200 Rft Opt-2 Hand Pump (Rawalpindi, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber)								
SNO	District	Tehsil/ Locations	QTY.	Unit Rate (Same as above) PKR	Additional Transport Cost/ Unit Rate PKR (If any)	Total Unit Rate (District wise) PKR			
1	Rawalpindi	Murree	1						
2	Torghar	Dour Maira, Kanddar, Judba	1						
3	Battgram	Battagram, Allai	1						
4	Mansehra	Lassan Nawab, Batal, Shinkiyari	1						
5	Haipur	Haripur, Ghazi	1						
6	Bagh	Muzafargarh	1						
7	Mirpur	Rajanpur	1						
8	Bhimber	Diplo	1						

C) Deep Water Well 120 Rft Opt-1 Submersible Pump (Tharparkar, DI Khan, Bannu and Lakki Murwat)

SNO	Item	Specification/ Description of Work	Qty	Unit	Unit Cost	Total Cost
Drillin	g and Boring					
1	Drilling or Boring	Drilling 5" or 6" dia bore in all types of soils / stratum. Mannual or Machine Percussion	120	Rft		
		Installation of 4" dia Pure U-PVC class C pipe as blind as well as strainer pipe, end cap and filter cloth in bore				
2	Casing Pipe U-PVC	hole,I/c lowering jointing / fixing. Note: 6" Over Lapping at joint. Thickness 5.2 mm, Weight 0.713 kg per feet	120	Rft		1
		or 9.2 kg per 13 feet pipe length				
3	Shrouding Material	Shrouding with 1/8"1/4" gravel size, 1" thick around the casing pipe. (where required)	20	Cft		1
Subm	ersible Pump and Fittings					
1	Submersible Pump	Supply and Fixing of 1 HP or 0.75 KW AC Single phase Submersible Pump (JD, Handuro, Kaprilla or other	1	Set		1
1	Submersible Fump	imported brand) machine with copper winding and complete in all respect with Starter box)		361		
2	Delivery Outlet Pipe	S/F HDPE 1" Dia Pure (PN10) pipe with Tee fitting and bibcock, in concrete block, of standard quality i.e	140	Rft		1
	Delivery Outlet Fipe	Royal, Dadex, indus or equalient	140	KIL		
3	Electric Cable	3 core Single phase submersible coper wire 104/76 with groundings and Proper fitting	140	Rft		
3	Hanging Rope	Hanging rope for Motor	140	Rft		1
Stand	d Post and Platform					
1	Excavation or Earth Filling	Excavation or Earth Filling for hand pump Plateform and stand post. (Size 7'x5'x1')	35	Cft		1
2	Brick Ballast or Stones	Dry rammed brick or stone ballast, 1½" to 2"(40 mm to 50 mm) gauge., Should be clean from any kind of	18	Cft		1
-		surki, leaves,straw,earth and sand. (Size 7'x5'x6")				
3	PCC in Stand Post and Platform	P/L PCC 1:2:4 in hand pump Stand Post or block, above and Below the ground level (Size 3'x2'x2'), and plateform of 5'x5'x6" Size as per attached drawing. (Portland Cement, Fine & Clean Sand, 1/2" Down Crush)	25	Cft		<u> </u>
4	Brick Masonary in Stand Post and Platform	Brick Massonary in walls of platform with CSM (1:4) as per design (Standard size sound burnt brick, Portland	5	Cft		
-		Cement, Fine & Clean Sand)				
5	Plaster work in Stand Post and Platform	Plaster 1/2" thick on Walls of platform, Inner Side & Outer side & Concrete block (1:3) (Portland Cement, Fine & Clean Sand)	50	Sft		
6	Paint Work in Stand Post and Platform	Indigo-Water Proof Plastic Emulsion (Berger/Master/ICI) 2-coats minimum	50	Sft		
7	Waste Water Pipe with Elbow and Stainer	3" dia Plastic pipe for drainage (As per site/ need but minimum 5') with filter/ mesh & elbow, (covered drainage with safe disposal into turf)	10	Rft		
		Branding				
		Marble Stone Pure White (01" thick) (1.5x1.5 feet) with Computerized 4-Color etching as per HA designs				
1	Donor Name Plaque	separate with each donor name	1	No		<u> </u>
		Water Testing Control of the Control				
1	Water Quality Test	Certified Government PCRWR/PHED lab report for each installation (Physical, Chemical and Biological)	1	No		
		Total Cost of One Water Well	1	No.		ı

A	<u> </u>
	WHAT I

	Deep Water Well 120 Rft Opt-1 Submersible Pump (Tharparkar, DI Khan, Bannu and Lakki Murwat)							
District Tehsil/ Locations QTY. Unit Rate (Same as above)				Additional Transport Cost/ Unit Rate PKR (If any)	Total Unit Rate (District wise) PKR			
Tharparkar	Diplo	1						
Dera Ismail Khan	Mandra, DI Khan	1						
Bannu	Kakki, Miryan	1						
Laki Marwat	Norang	1						

D) Deep Water Well 200 Rft Opt-2 Submersible Pump (Rawalpindi, Tharparkar, DI Khan, Bannu, Lakki Murwat, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber)

SNO	Item	Specification/ Description of Work	Qty	Unit	Unit Cost	Total Cost		
Drilling and Boring								
1	Drilling or Boring	Drilling 6" or 8" dia bore in all types of soils / stratum. Machine Percussion or Routery Drilling	200	Rft				
2	Casing Pipe U-PVC	Installation of 5" dia Pure U-PVC class C pipe as blind as well as strainer pipe, end cap and filter cloth in bore hole,I/c lowering jointing / fixing. Note: 6" Over Lapping at joint. Thickness 6.4 mm, Weight 1 kg per feet or 13 kg per 13 feet pipe length	200	Rft				
3	Shrouding Material	Shrouding with 1/8"1/4" gravel size, 1" thick around the casing pipe. (where required)	40	Cft				
	-	Submersible Pump and Fittings						
1	Submersible Pump	Supply and Fixing of 2 HP or 1.5 KW AC Single phase S ubmersible Pump (JD, Handuro, Kaprilla or other Equivalent imported brand) machine with copper winding and complete in all respect with Starter box)	1	Set				
2	Delivery Outlet Pipe	S/F HDPE 1" Dia Pure (PN12) pipe with Tee fitting and bibcock, in concrete block, of standard quality i.e Royal, Dadex, indus or equalient	220	Rft				
3	Electric Cable	3 core Single phase submersible coper wire 162/76 with groundings and Proper fitting	220	Rft				
3	Hanging Rope	Hanging rope for Motor	220	Rft				
	Stand Post and Platform							
1	Excavation or Earth Filling	Excavation or Earth Filling for hand pump Plateform and stand post. (Size 7'x5'x1')	35	Cft				
2	Brick Ballast or Stones	Dry rammed brick or stone ballast, 1½" to 2"(40 mm to 50 mm) gauge., Should be clean from any kind of surki, leaves, straw, earth and sand. (Size 7'x5'x6")	18	Cft				
3	PCC in Stand Post and Platform	P/L PCC 1:2:4 in hand pump Stand Post or block, above and Below the ground level (Size 3'x2'x2'), and plateform of 5'x5'x6" Size as per attached drawing. (Portland Cement, Fine & Clean Sand, 1/2" Down Crush)	25	Cft				
5	Brick Masonary in Stand Post and Platform	Brick Massonary in walls of platform with CSM (1:4) as per design (Standard size sound burnt brick, Portland Cement, Fine & Clean Sand)	5	Cft				
6	Plaster work in Stand Post and Platform	Plaster 1/2" thick on Walls of platform, Inner Side & Outer side & Concrete block (1:3) (Portland Cement, Fine & Clean Sand)	50	Sft				
7	Paint Work in Stand Post and Platform	Indigo-Water Proof Plastic Emulsion, (Berger/Master/ICI) 2-coats minimum	50	Sft				
2	Waste Water Pipe with Elbow and Stainer	3" dia Plastic pipe for drainage (As per site/ need but minimum 5') with filter/ mesh & elbow, (covered drainage with safe disposal into turf)	10	Rft				
		Branding						
1	Donor Name Plaque	Marble Stone Pure White (01" thick) (1.5x1.5 feet) with Computerized 4-Color etching as per HA designs separate with each donor name	1	No				
		Water Testing						
1	Water Quality Test	Certified Government PCRWR/PHED lab report for each installation (Physical, Chemical and Biological)	1	No				
		Total Cost of One Water Well	1	No.				



Deep Water Well 200 Rft Opt-2 Submersible Pump (Tharparkar, DI Khan, Bannu, Lakki Murwat, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber) **Additional Transport Total Unit Rate Unit Rate Tehsil/Locations** QTY. Cost/ Unit Rate PKR (If District (District wise) PKR (Same as above) PKR any) Tharparkar Diplo 1 Mandra, DI Khan Dera Ismail Khan 1 Kakki, Miryan Bannu 1 1 Laki Marwat Norang Torghar Dour Maira, Kanddar, Judba 1 1 Battgram Battagram, Allai Lassan Nawab, Batal, Shinkiyari 1 Mansehra 1 Haipur Haripur, Ghazi Bagh Bagh, Dirkot 1 1 Mirpur Mirpur Bhimber Bhimber 1

E) Deep Water Well 300 Rft Opt-3 Submersible Pump (Rawalpindi, Tharparkar, DI Khan, Bannu, Lakki Murwat, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber)

SNO	ltem	Specification/ Description of Work	Qty	Unit	Unit Cost	Total Cost		
	Drilling and Boring							
1	Drilling or Boring	Drilling 8" or 10" dia bore in all types of soils / stratum. Routery Drilling or Pressure Drilling	300	Rft				
		Installation of 5" dia Pure U-PVC class C pipe as blind as well as strainer pipe, end cap and filter						
2	Casing Pipe U-PVC	cloth in bore hole,I/c lowering jointing / fixing. Note: 6" Over Lapping at joint. Thickness 6.4	300	Rft				
		mm, Weight 1 kg per feet or 13 kg per 13 feet pipe length						
3	Shrouding Material	Shrouding with 1/8"1/4" gravel size, 1" thick around the casing pipe. (where required)	60	Cft				
		Submersible Pump and Fittings						
		Supply and Fixing of 3 HP or 2.2 KW AC Sigle phase S ubmersible Pump (JD, Handuro, Kaprilla or						
1	Submersible Pump	other Equivalent imported brand) machine with copper winding and complete in all respect	1	Set				
		with Starter box)						
2	Delivery Outlet Pipe	S/F HDPE 1" Dia Pure (PN16) pipe with Tee fitting and bibcock, in concrete block, of standard	320	Rft				
	· '	quality i.e Royal, Dadex, indus or equalient						
3	Electric Cable	3 core Single phase submersible coper wire 162/76 with groundings and Proper fitting	320	Rft				
3	Hanging Rope	Hanging rope for Motor	320	Rft				
		Stand Post and Platform						
1	Excavation or Earth Filling	Excavation or Earth Filling for hand pump Plateform and stand post. (Size 7'x5'x1')	35	Cft				
2	Brick Ballast or Stones	Dry rammed brick or stone ballast, 1½" to 2"(40 mm to 50 mm) gauge., Should be clean from	18	Cft				
	Blick Ballast Of Stories	any kind of surki, leaves, straw, earth and sand. (Size 7'x5'x6")		CIT				
		P/L PCC 1:2:4 in hand pump Stand Post or block, above and Below the ground level (Size						
3	PCC in Stand Post and Platform	3'x2'x2') , and plateform of 5'x5'x6" Size as per attached drawing. (Portland Cement, Fine &	25	Cft				
		Clean Sand, 1/2" Down Crush)						
5	Brick Masonary in Stand Post and Platform	Brick Massonary in walls of platform with CSM (1:4) as per design (Standard size sound burnt	5	Cft				
	Brick Masoriary in Staria 1 ost and 1 lationii	brick, Portland Cement, Fine & Clean Sand)	,	Cit				
6	Plaster work in Stand Post and Platform	Plaster 1/2" thick on Walls of platform, Inner Side & Outer side & Concrete block (1:3)	50	Sft				
		(Portland Cement, Fine & Clean Sand)						
7	Paint Work in Stand Post and Platform	Indigo-Water Proof Plastic Emulsion (Berger/Master/ICI) 2-coats minimum	50	Sft				
2	Waste Water Pipe with Elbow and Stainer	3" dia Plastic pipe for drainage (As per site/ need but minimum 5') with filter/ mesh & elbow,	10	Rft				
	waste water ripe with Libow and Stainer	(covered drainage with safe disposal into turf)	10	IXIC				
		Branding						
1	Donor Name Plaque	Marble Stone Pure White (01" thick) (1.5x1.5 feet) with Computerized 4-Color etching as per	1	No				
	Donor Hame Flaque	HA designs separate with each donor name		140				
		Water Testing						
1	Water Quality Test	Certified Government PCRWR/PHED lab report for each installation (Physical, Chemical and	1	No				
		Biological)						
		Total Cost of One Water Well	1	No.				

Deep Water Well 300 Rft Opt-3 Submersible Pump (Rawalpindi, Tharparkar, DI Khan, Bannu, Lakki Murwat, Torghar, Batagram, Mansehra, Haripur, Bagh, Mirpur and Bhimber)

District	Tehsil/ Locations	QTY.	Unit Rate (Same as above) PKR	Additional Transport Cost/ Unit Rate PKR (If any)	Total Unit Rate (District wise) PKR
Rawalpindi	Murree	1			
Tharparkar	Diplo	1			
Dera Ismail Khan	Mandra, DI Khan	1			
Bannu	Kakki, Miryan	1			
Laki Marwat	Norang	1			
Torghar	Dour Maira, Kanddar, Judba	1			
Battgram	Battagram, Allai	1			
Mansehra	Lassan Nawab, Batal, Shinkiyari	1			
Haipur	Haripur, Ghazi	1			
Bagh	Bagh, Dirkot	1			
Mirpur	Mirpur	1			
Bhimber	Bhimber	1			



Section III needs to be filled with complete information

Section III. Questionnaire/Contact Form

1. Bidders Questionnaire/Contact Form

While the bid documents can be downloaded from the website www.humanappeal.org.pk (https://humanappeal.org.pk/work/tender.php) and https://www.iapg.org.uk/tenders/bidder has to submit back the evidence/proof documents along with filled tender document/bids with completed information and documents in Scanned/PDF format in a one zip folder with the name of your organization and project (for example (PK-DWWS Tender) and send via this email: pkdwws.tender@humanappeal.org.uk

HA-PAK Bidders Questionnaire/Contact Form

1) Organizational Information

Organization Name		
Legal Status of	1- Public Limited	
Organization	2-Private Limited Company	
	3-Partnership	
	4-Sole Trader	
	5-Other(Please	
	specify)	
NTN Number		
Postal Address		

2) Contact Information:

	Main Contact	
	(Executive head)	Focal Person
Name		
Designation		
Telephone (with city code)		
Mobile Phone7		

Ple	ease share the La	test and relevant wo	rk experience detail	s (A)
	Project-1 (Project-2	Project-3	Project-4
Name of Organization				
Contact name and phone , number,				
Email				
Description of items/services delivered				
Project implementation Area/Location:				
Quantity				
Date contract awarded				
Date contract Completed				
Value of Contract in PKR Please share your Maximum value P.O details				

Bidders are requested to attach PO's/ or agreements of the above details as evidence

(Documents/Quotations shared via Google Drive are not acceptable/accessible)

1		1 .	T .	
	Project-5	Project-6	Project-7	Project-8
ame of Organization				
ontact name and phone number,				
Email				
escription of ems/services delivered				
Project implementation Area/Location:				
Quantity				
ate contract awarded				
Pate contract Completed				
alue of Contract in PKR lease share your				
laximum value P.O etails				

UNDERTAKING BY BIDDER:

I hereby undertake that the above information is correct and if found incorrect, the firm shall be liable for disqualification/legal action. I acknowledge the terms and conditions along with right of Human Appeal Pakistan to accept/reject the application without assigning any reason, which shall not be challenged in any court of law.

(Documents/Quotations shared via Google Drive are not acceptable/accessible)

Name	Date	Stamp	Signature

Bid Document Issued By: (for HA-PAK Staff) **OPERATION DEPARTMENT HUMAN APPEAL PAKISTAN** +92 51 8899199 / 8446750