

OFFER FORM Acted *OPT*

Tender N°: T/12MULTI/MULTI/Program-FWA/RML/10-09-2026/001

Order ID: OF/12MULTI/MULTI/Program-FWA/RML/23-08-2026/001

To be Filled by Bidder (COMPULSORY)

Company's Name	
Company Authorized Representative's Name	
Company Registration Number	
Registration body	
Company's mailing address	
Commercial representative for the bid	
Phone contact number	
Email address	

I undersigned (to be filled in by Bidders)

agree to provide Acted, non-profit NGO, with items answering the following specifications, according to the general conditions and responsibilities that I engage myself to follow.

PLEASE FILL IN THE FOLLOWING TABLES, ONE FOR EACH LOT:

- If the tender is divided into lots, the Bidder may bid for one or all lots. Each lot may be subject to a separate contract and the quantities indicated for the different lots cannot be divided. The Bidder must offer all items & quantities indicated for each lot. Bids for part of a lot only will not be considered.
- If the Bidder is awarded more than one lot, a single contract may be concluded including all lots.

UNIT AND TOTAL PRICES MUST BE INCLUSIVE OF ALL COSTS (TRANSPORTATION, LOADING/OFFLOADING, APPLICABLE TAXES, ETC.).

PLEASE ATTACH ANY TECHNICAL DESCRIPTION OF ITEMS SUCH AS CATALOGS, AND SAMPLES AS REQUESTED BELOW.



Lot 1: Tents - Geodesic

N°	Items description & technical specifications	Unit	Quantity	Origin	Unit Price Excluding taxes (ILS)
1	Geodesic Family Tent 18m² <i>Technical specification annexed to this Offer Form (Annex 1)</i>	Piece	1		
2	Delivery – Geodesic Family Tent 18m²	Piece	1	N/A	

- **Delivery timeline - Geodesic Family Tent 18m²: _____ days**

Lot 2: Tents – UNHCR/IFRC model

N°	Items description & technical specifications	Unit	Quantity	Origin	Unit Price Excluding taxes (ILS)
1	Family Tent 23 sq.4 UNHCR/IFRC standard 23m² <i>Technical specification annexed to this Offer Form (Annex 2)</i>	Piece	1		
2	Delivery – Family tents UNHCR/IFRC 23m²	Piece	1	N/A	

- **Delivery timeline - Family Tent UNHCR/IFRC 23m²: _____ days**



Lot 3: Protection Kits

N°	Items description & technical specifications	Unit	Quantity	Unit Price Excluding taxes (ILS)
1	Solar LED Floodlights Supply and deliver solar lights according to the following minimum specifications: 200W LED Floodlight. The length of wire connecting the panel to the lamp is minimum 3 meters. Solar panel: dimensions not less than (40*35) cm. Lithium battery minimum 20AH. Lighting time must cover a minimum of 10 hours when fully charged. The solar panel and the lamp should be waterproof and (Rain resistant) so that they can be used with different weather conditions. Insulation class: IP 66.	Piece	1	
2	Solar Power Kits LED side light. LED torch light. At least 2 LED bulbs with cable wires. 5V DC output (USB charging ports for mobile phones or other devices). FM radio option is preferable. Charge through solar panel, the panel should be detachable from the kit to facilitate charging. AC charging is option is preferable. Battery capacity is not less than 4500 mAh. Working time for any feature should not be less than 3 hours. The supplier must provide a technical datasheet that includes all the required technical detail.	Kit	1	
3	Rechargeable Portable Torch Lights Light Source: minimum 5W Light-Emitting Diode (LED). The power source is rechargeable batteries that are designed to be used repeatedly. Heavy duty with high brightness. The operating time when the batteries are fully charged should not be less than 6 hours. The supplier must provide a technical datasheet that includes all the required technical detail.	Piece	1	
4	First Aid Kits All mentioned items should be new and sealed, with an expiry date > 12months. The items mentioned should be organized and grouped as separate packages (each kit includes a package of the following items mentioned). First aid kits should include: Empty box for first aid supplies,	Kit	1	



	25x25x35 cm with internal partitions made from high quality fabric, red color with reflective strips and carry shoulder strap. Medical Iodine (60mL) Antiseptic solution (125 mL) Gauze pads (7.5 by 7.5 centimetres (100 pieces) LATEX gloves (100 pieces per pack) Face Mask With ear loop (box of 10) Cotton rolls (70 grams) Adhesive bandages (100 pieces) Adhesive bandage roll (5 cm by 9 meters) (1 unit) Adhesive tape (2.5 cm by 9 meters) (1 unit) Alcohol wipes of medium size (100 pieces) TRIANGULAR bandages (1 unit) Eye Pad Non-adhesive, sterile (1 unit) Elastic bandages (10 cm) (1 unit) Digital thermometer (1 unit) Semi-elastic bandage 6CM (1 unit) Burn Cream or Gel (1 unit) Pulse Oximeter (1 unit) Standard medical scissors (1 unit) Hand support device (1 unit)			
5	<u>Fire Extinguisher – Powder – 3KG</u> Type: Dry Chemical (ABC) Fire Extinguisher with holder, filled with a fine, yellow powder. Operating valve (Squeeze grip type with discharge nozzle or hose). The extinguisher should have a sticker in Arabic for how to use and showing the validity period.	Piece	1	
6	<u>Fire Extinguisher – CO2 – 2KG</u> - Including hangers and related accessories	Piece	1	
7	<u>Fire Extinguisher – CO2 – 5KG</u> - Including hangers and related accessories	Piece	1	
8	<u>Fire Rubber Flapper</u> Fire beater. Flapper head is made of fire resistance rubber. Handle Material: made of hard wood. Length of handle: 180cm Rubberized duck: 30.5cm*38cm jointed with a forged steel cross member. Or equivalent specs.	Piece	1	



Lot 4: Household-Level Tool Kits

N°	Items description & technical specifications	Unit	Quantity	Unit Price Excluding taxes (ILS)
1	Rope – 3mm – 30m Polypropylene, minimum 3 strands, twisted	Piece	1	
2	Rope – 12mm – 30m Polypropylene, minimum 3 strands, twisted	Piece	1	
3	Timber Nails – 40mm Hot galvanised iron, for wood, 40mm, (1.1/2")	KG	1	
4	Timber Nails – 75cm Hot galvanised iron, for wood, 7.5cm (3")	KG	1	
5	Roofing Nail – 75mm 75mm (3"), hot galva. + rubber washer	KG	1	
6	Claw Hammer Carpenter type, 750g, wood handle	Piece	1	
7	Shovel Round point with Y handle, total lenght approx. 1m Wood handle: adjusted to head and secured with a metal nail. Branches of the Y handle: good quality iron securely fitted to the handle.	Piece	1	
8	Hoe With long handle, Hoe: 20 x 21cm, Wooden Handle: 100cm	Piece	1	
9	Mutt Hoe Head only, 250x70mm, 0.7kg	Piece	1	
10	Handsaw For timber, 400mm blade	Piece	1	
11	Shear Straight, for metal sheet, semi-hard 1mm max., 255mm	Piece	1	
12	Tie Wire – 25m Galvanised, diam. 1.5 mm, roll	Piece	1	
13	Measuring Tape Tailor type, PVC coated polyester, 20mm x 3m	Piece	1	
14	Needle Stitching, curved, 127mm x 1.8mm, hole 1x7mm	Piece	1	
15	Bag	Piece	1	



	Size: 13", Duffle type, coated polyethylene 180g/m ²			
16	Padlocks High quality iron, 50mm for doors or boxes	Piece	1	
17	Medium-sized plastic zip tie Containing 100 pieces	Pack	1	
18	Empty Flour Bags Capacity: 50kg	Piece	1	
19	Sealant Silicone, transparent	Piece	1	
20	Sealant gun / caulk gun	Piece	1	
21	Fire blanket	Piece	1	
22	Pickaxe Wooden handle	Piece	1	
23	Wood Glue 600mL	Piece	1	



Lot 5: Bedding Kits

N°	Items description & technical specifications	Unit	Quantity	Unit Price Excluding taxes (ILS)
1	Floor Mats Density: minimum 450gm/m2; Size(W X L) = 2.7m X 3.6 m. Polypropylene (PP), U.V. Tolerance: ±3% Construction: tightly woven, durable, suitable for repeated indoor household use Edges: sealed or stitched to prevent fraying Properties: moisture-resistant, easy to clean, resistant to normal household wear Packing: folded or rolled, wrapped in protective plastic.	Piece	1	
2	Floor Carpet Dimensions: 3.0 x 5.0 m Tolerance: ±3% Surface Material: Woven synthetic fibers (polypropylene / polyester / acrylic) Cotton, or synthetic anti-slip backing Pile Type: low to medium pile (3–8 mm) GSM: 2000–1200 g/m² Total Weight: Approx. 7–12 kg Oriental/classic pattern similar to sample Overlocked or tape-bound edges Durability: suitable for minimum 12 months indoor household use under normal conditions Properties: fade-resistant, easy to clean, suitable for indoor use, Low flammability synthetics Packing: supplied rolled and wrapped in protective plastic	Piece	1	
3	Mattress Foam Size: 90cm x 190cm Springless foam, thermoflex, foamed polyurethane or similar, medium to firm, max load not less than 80 kg) - including sheets. Thickness: 7 cm min. Vacuumed: The unit price should include vacuuming bags and work. Please provide alternative specifications if needed	Piece	1	
4	Blanket – Medium Thermal – Single Size Woven, 50% WOOL, 220x160cm,	Piece	1	
5	Blanket – Medium Thermal – Double size	Piece	1	



	Woven, 50% WOOL, 200x220cm or more			
6	Summer blanket – Light Thermal – Single Size Woven, 220 x 150cm.			
7	Summer blanket – Light Thermal – Double Size Woven, 200 x 220 cm or more, double size			
8	Pillow Size: 40cm x 50cm Polyester pillow (filled with foam filling) with pillowcase. Vacuumed: The unit price should include vacuuming bags and work	Piece	1	
9	Moskito nets Non impregnated, polyester, 220cm x 90cm x 180cm	Piece	1	
10	Flat sheets 150 x 220 cm, preferably cotton	Piece	1	



Lot 6: Dignity Kit

N°	Items description & technical specifications	Unit	Quantity	Unit Price Excluding taxes (ILS)
1	Sanitary Pads Minimum length of 35 cm, absorbency of 75 g, non-woven, cotton-touch. – Min 15pcs/pack	Pack	1	
2	Absorbent Towel Cotton, 70 × 40 cm, fabric weight of at least 400 GSM, dark colors.	Piece	1	
3	Prayer Suit Soft cotton, grey or black, one size fits all.	Piece	1	
4	Laddies' slipper Open-heel slippers, size 39–40.	Piece	1	
5	Backpack Waterproof, durable nylon, approximately 35 × 30 cm.	Piece	1	
6	Female Socks US size 6–10, dark colors.	Pair	1	
7	Women's deodorant Unscented, free from harsh chemicals, 50 ml.	Piece	1	
8	Comb Durable plastic, approximately 20 cm in length.	Piece	1	
9	Headscard (Hijab) Double-sided, non-transparent fabric.	Piece	1	



Lot 7: Energy Kits

N°	Items description & technical specifications	Unit	Quantity	Unit Price Excluding taxes (ILS)
1	Wooden Stove Manufacturing and supplying of with all fittings and accessories according to the following minimum specifications: The stove body consists of 2mm thick steel sheets with dimensions of 51*50cm and 73cm height in addition to 12cm height legs. The stove consists of Firebox and oven box. Manually operated air Vent that are designed to provide fresh oxygen to the fire in specific locations around the firebox. A baffle is a metal plate that is located at the top of the firebox with thickness not less 3mm. Ash Pan (cleaning drawer): which is located just beneath the firebox and catches ash as it falls through the firebox grate. metal grate at the base of the firebox which consists of steels plat network every plate with thickness 4mm and 12 mm width and the length according to the firebox dimensions. A high temperature heat resistant paint must be applied over the surface of the stove as standard out of the factory. Price includes supplying of (8) galvanized steel pipes of 1m length, (5) inches diameter, and thickness of 0.4 mm, two (5) inches 90 degrees elbow (كوع 90 عدد 2) and a wind navigable cap (عصفورة) with the same diameter. The opening (from stove side) should have movable switch (رداد). The supplier must attach to his offer a full datasheet including detailed drawings/pictures showing the dimensions and thickness of the metal parts of the wood stove.	Piece	1	
2	Electrical Heater Power: 2000 [W], Dimensions: Height: 41.5 cm Width: 55 cm Depth: 27 cm, 3 column Feed cable length: 140 cm, Turkish made or equivalent	Piece	1	
3	Flat gas camping stove Compatible with single-use gas can (400ml to 600ml)	Piece	1	
4	Compressed wood briquettes	KG	1	



Proposed Discount:

Suppliers are requested to indicate the discount rate applicable based on the total Purchase Order (P.O) value:

20,000 ILS – 30,000 ILS	_____ %
30,000 ILS – 40,000 ILS	_____ %
40,000 ILS – 50,000 ILS	_____ %
50,000 ILS – 75,000 ILS	_____ %
75,000 ILS – 100,000 ILS	_____ %
Above 100,000 ILS	_____ %


DELIVERY CONDITIONS:

	DELIVERY CONDITIONS REQUESTED BY ACTED	DELIVERY CONDITIONS OFFERED BY THE BIDDER (if different)
INCOTERM	DDP	
DELIVERY ADDRESS	WEST BANK	
DELIVERY DATE	WITHIN 7 DAYS AFTER THE PO'S SIGNATURE	

BIDDER'S CONDITIONS:

	GENERAL CONDITIONS RECOMMENDED BY ACTED	GENERAL CONDITIONS OFFERED BY BIDDERS (if different)
VALIDITY OF THE OFFER	3 MONTHS MIN.	
VALIDITY OF THE OFFER	BANK TRANSFER OR CHEQUE	

Name of Bidder's Authorized Representative: _____

Authorized signature and stamp: _____

Date: _____

